



## SAFETY DATA SHEET OMNI GEL

Commission Regulation (EU) No 2015/830 of 28 May 2015.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name                    OMNI GEL  
Product number                500-200-0650  
Internal identification        D8010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                Detergent.  
Uses advised against        Use only for intended applications.

#### 1.3. Details of the supplier of the safety data sheet

Supplier                        COVENTRY CHEMICALS LTD  
WOODHAMS RD  
SISKIN DRIVE  
COVENTRY  
CV3 4FX  
Tel: +44 (0) 02476639739  
Fax: +44 (0) 02476639717  
Email: sales@coventrychemicals.com

Contact person                For content of safety data sheet., sds@coventrychemicals.com

#### 1.4. Emergency telephone number

National emergency telephone number    In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards                Met. Corr. 1 - H290  
Health hazards                 Skin Corr. 1A - H314 Eye Dam. 1 - H318  
Environmental hazards        Not Classified

#### 2.2. Label elements

##### Pictogram



Signal word                     Danger

Hazard statements             H314 Causes severe skin burns and eye damage.  
H290 May be corrosive to metals.

## OMNI GEL

<b>Precautionary statements</b>	<p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
<b>Contains</b>	SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE
<b>Detergent labelling</b>	5 - < 15% cationic surfactants, < 5% EDTA and salts thereof
<b>Supplementary precautionary statements</b>	<p>P234 Keep only in original packaging.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P390 Absorb spillage to prevent material damage.</p> <p>P406 Store in a corrosion-resistant container with a resistant inner liner.</p>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>SODIUM HYDROXIDE</b>	<b>10-30%</b>
CAS number: 1310-73-2	EC number: 215-185-5
	REACH registration number: 01-2119457892-27-XXXX
<b>Classification</b>	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
<b>2-(2-BUTOXYETHOXY)ETHANOL</b>	<b>5-10%</b>
CAS number: 112-34-5	EC number: 203-961-6
	REACH registration number: 01-2119475104-44-xxxx
<b>Classification</b>	
Eye Irrit. 2 - H319	
<b>Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs., N-oxides</b>	<b>5-10%</b>
CAS number: 61791-46-6	
M factor (Acute) = 1	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Aquatic Acute 1 - H400	

## OMNI GEL

<b>TETRASODIUM ETHYLENE DIAMINE TETRAACETATE</b>			<b>1-5%</b>
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01-2119486762-27-XXXX	
<b>Classification</b>		<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 4 - H302		Xn;R22 Xi;R41	
Acute Tox. 4 - H332			
Eye Dam. 1 - H318			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Get medical attention immediately. Provide eyewash station and safety shower.
<b>Inhalation</b>	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.
<b>Inhalation</b>	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
<b>Ingestion</b>	This product is corrosive. Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach.
<b>Skin contact</b>	May cause serious chemical burns to the skin.
<b>Eye contact</b>	This product is corrosive. A single exposure may cause the following adverse effects: Severe irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue damage. Corneal damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically. Remove contaminated clothing immediately and wash skin with soap and water.
-----------------------------	--

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

## OMNI GEL

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Avoid contact with water. May generate heat.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Stop leak if safe to do so. Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 1 for emergency contact information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Avoid the formation of mists. Provide adequate ventilation. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water.

**Advice on general occupational hygiene** Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a well-ventilated place. Store away from the following materials: Acids. Oxidising materials.

**Storage class** Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

## OMNI GEL

### 8.1. Control parameters

#### Occupational exposure limits

##### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

##### 2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

#### SODIUM HYDROXIDE (CAS: 1310-73-2)

**DNEL** Industry - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup>  
Consumer - Inhalation; Long term local effects: 1.0 mg/m<sup>3</sup>

#### 2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

**DNEL** Workers - Inhalation; Long term systemic effects: 67.5 mg/m<sup>3</sup>  
Workers - Inhalation; Long term local effects: 67.5 mg/m<sup>3</sup>  
Workers - Dermal; Long term systemic effects: 20 mg/kg/day  
General population - Inhalation; Long term systemic effects: 34 mg/m<sup>3</sup>  
General population - Inhalation; Long term local effects: 34 mg/m<sup>3</sup>  
General population - Inhalation; Short term local effects: 34 mg/m<sup>3</sup>  
General population - Inhalation; Short term local effects: 50.6 mg/m<sup>3</sup>  
General population - Dermal; Long term systemic effects: 10 mg/kg/day  
General population - Oral; Long term systemic effects: 1.25 mg/kg/day

**PNEC** - Fresh water; 1 mg/l  
- marine water; 0.1 mg/l  
- Intermittent release; 3.9 mg/l  
- STP; 200 mg/l  
- Sediment (Freshwater); 4 mg/kg  
- Sediment (Marinewater); 0.4 mg/kg  
- Soil; 0.4 mg/kg

#### TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

**DNEL** General population - Oral; Long term systemic effects: 25 mg/kg/day  
General population - Inhalation; Long term local effects: 0.6 mg/m<sup>3</sup>  
General population - Inhalation; Short term local effects: 1.2 mg/m<sup>3</sup>  
Workers - Inhalation; Long term local effects: 1.5 mg/m<sup>3</sup>  
Workers - Inhalation; Short term local effects: 3 mg/m<sup>3</sup>

**PNEC** - Fresh water; 2.2 mg/l  
- marine water; 0.22 mg/l  
- Intermittent release; 1.2 mg/l  
- STP; 43 mg/l  
- Soil; 0.72 mg/kg

### 8.2. Exposure controls

#### Protective equipment



## OMNI GEL

<b>Appropriate engineering controls</b>	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
<b>Eye/face protection</b>	Wear tight-fitting, chemical splash goggles or face shield.
<b>Hand protection</b>	Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Provide eyewash station and safety shower. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.
<b>Respiratory protection</b>	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Particulate filter, type P2. Particulate filters should comply with European Standard EN143.
<b>Environmental exposure controls</b>	Avoid releasing into the environment. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>pH</b>	pH (concentrated solution):
<b>Relative density</b>	@ °C
<b>Solubility(ies)</b>	Soluble in water.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Comments</b>	Information given is applicable to the product as supplied.

#### 9.2. Other information

<b>Other information</b>	Not relevant.
--------------------------	---------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	Reactions with the following materials may generate heat: Water. Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures.
------------------	--

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	The following materials may react violently with the product: Chlorohydrocarbons. Acids. Reactions with the following materials may generate heat: Water.
---	---

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
----------------------------	---

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Acids. Ammonia. Chlorinated hydrocarbons. Aluminium. Tin. Zinc.
---------------------------	---

#### 10.6. Hazardous decomposition products

## OMNI GEL

**Hazardous decomposition products**      Hydrogen.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects**      Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)**      Based on available data the classification criteria are not met.

**ATE oral (mg/kg)**      148,333.33

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)**      Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**ATE inhalation (dusts/mists mg/l)**      345.0

**General information**      Corrosive to skin and eyes.

**Inhalation**      Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

**Ingestion**      May cause burns in mucous membranes, throat, oesophagus and stomach.

**Skin contact**      May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.

**Eye contact**      Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

#### Toxicological information on ingredients.

#### SODIUM HYDROXIDE

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)**      2,000.0

**Species**      Rat

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)**      2,000.1

**Species**      Rabbit

#### Skin corrosion/irritation

**Skin corrosion/irritation**      Burning pain and severe corrosive skin damage.

#### Serious eye damage/irritation

**Serious eye damage/irritation**      Causes serious eye damage.

#### Skin sensitisation

## OMNI GEL

**Skin sensitisation**                      Not sensitising.

### SECTION 12: Ecological information

**Ecotoxicity**                                      There are no data on the ecotoxicity of this product.

#### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Ecotoxicity**                                      The product components are not classified as environmentally hazardous.  
However, large or frequent spills may have hazardous effects on the environment.

#### 12.1. Toxicity

**Toxicity**    The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### Acute aquatic toxicity

**Acute toxicity - aquatic plants**      May cause long lasting harmful effects to aquatic life.

**Acute toxicity - terrestrial**              Can cause damage to vegetation.

#### Ecological information on ingredients.

#### SODIUM HYDROXIDE

#### Acute aquatic toxicity

**Acute toxicity - fish**                              REACH dossier information.  
LC<sub>50</sub>, 96 hours: < 180 mg/l, Freshwater fish

**Acute toxicity - aquatic invertebrates**      EC<sub>50</sub>, 48 hours: 40.4 mg/l, Freshwater invertebrates

#### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage**      Not available.

**Chronic toxicity - aquatic invertebrates**      Not available.

#### 12.2. Persistence and degradability

**Persistence and degradability**      Degrades very slowly in nature.

#### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Persistence and degradability**              The product contains inorganic substances which are not biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential**              The product is not bioaccumulating.

#### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Bioaccumulative potential**              No data available on bioaccumulation.

#### 12.4. Mobility in soil



## OMNI GEL

**Mobility** The product is water-soluble and may spread in water systems.

### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

### 12.6. Other adverse effects

**Other adverse effects** None known.

### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods** The packaging must be empty (drop-free when inverted). Wash with plenty of water. Dispose of waste via a licensed waste disposal contractor. Reuse or recycle products wherever possible.

**Waste class** EWC Code: 06 02 04

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 1760

**UN No. (IMDG)** 1760

**UN No. (ICAO)** 1760

**UN No. (ADN)** 1760

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE)

**Proper shipping name (IMDG)** CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE)

**Proper shipping name (ICAO)** CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE)

## OMNI GEL

**Proper shipping name (ADN)** CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, TETRASODIUM ETHYLENE DIAMINE TETRAACETATE)

### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C9
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

### Transport labels



### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## OMNI GEL

<b>National regulations</b>	<p>The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).</p> <p>Control of Pollution (Special Waste) Regulations 1980 (as amended).</p> <p>The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].</p> <p>EH40/2005 Workplace exposure limits.</p> <p>The Hazardous Waste Regulations 2005.</p>
<b>EU legislation</b>	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Commission Regulation (EU) No 453/2010 of 20 May 2010.</p> <p>Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.</p> <p>Commission Regulation (EU) No 2015/830 of 28 May 2015.</p>
<b>Guidance</b>	<p>COSHH Essentials.</p> <p>Technical Guidance WM2: Hazardous Waste.</p> <p>ECHA Guidance on the Application of the CLP Criteria.</p> <p>ECHA Guidance on the compilation of safety data sheets.</p> <p>Workplace Exposure Limits EH40.</p>

### 15.2. Chemical safety assessment

No information available.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>EWC European Waste Catalogue</p> <p>STOT RE = Specific target organ toxicity-repeated exposure</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>DNEL: Derived No Effect Level.</p>
<b>General information</b>	<p>Only trained personnel should use this material.</p>
<b>Revision comments</b>	<p>New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.</p>
<b>Revision date</b>	15/07/2019
<b>Revision</b>	1
<b>SDS number</b>	21637

## OMNI GEL

### **Hazard statements in full**

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H400 Very toxic to aquatic life.